

90+



DALLA TERRA TILE & STONE
dallaterra.ca

Cosmica Marble



PEARL



SLATE GREY



SMOKE



PEARL


dallaterra.ca









SLATE GREY







SMOKE






RANDOM FACES



600x600mm



600x1200mm

COLOURS



PEARL



SLATE GREY



SMOKE

V3 TEXTURE RATING 纹理评级	 MIN. LAYING GAP 3mm 最小铺贴间隙3mm	 RECTIFIED 精磨的尺寸	M MATTE 哑面	 URD 防滑模具面	 WALL TILES 墙砖	 FLOOR TILES 地砖	05 COLOURS 颜色	02 SURFACES 表面效果
--	---	---	--	---	---	--	---	--

V1

V2

✓ V3

V4

V1=Uniform Appearance
V3=Moderate Variation

V2=Slight Variation
V4=Substantial Variation

MEASUREMENT AND SURFACE APPEARANCE	STANDARD PRESCRIBED VALUES	90° VALUES (600 × 600mm)	90° VALUES (600 × 1200mm)
Dimensions & Surface Quality			
 Length and Width	± 0.6% max.	-0.03-0.03%	-0.03-0.03%
 Thickness	± 5% max.	9.0-9.5mm	11.0-11.5mm
 Orthogonality	± 0.5% max.	-0.06-0.07%	-0.06-0.07%
 Straightness of sides	± 0.5% max.	-0.06-0.07%	-0.02-0.03%
 Surfaces flatness	± 0.5% max.	-0.05-0.07%	-0.09-0.11%
Physical Properties			
 Water absorption	≤ 0.5%	≤ 0.5%	≤ 0.5%
 Breaking strength	≥ 1300N	2265N	4031N
 Bending resistance	≥ 35N/mm²	38N/mm²	40N/mm²
 Resistance to deep abrasion	≤ 175mm³	Class 4	Class 4
 Temperature shock resistance	No visible crack	No visible crack	Durable
 Resistance to frost	No visible crack	No visible crack	No visible crack
 Non-slip	P3-P4	P3-P4	P3-P4
 Colour resistance to light	no colour changes	no colour changes	no colour changes
Chemical Properties			
 Chemical resistance	no visible changes when subjected to chemicals	Durable	Durable
 Resistance to staining	≥ 3	Class 5	Class 5

PACKING DETAILS

SIZES	SURFACE		PCS/CTN	M² /CTN	KG/CTN
	M	URD			
600x600x9.5mm	✓	✓	4	1.44	31.5
600x1200x10mm	✓	✓	2	1.44	32
600x600x20mm	✓	✓	2	0.72	32